10/539238

JC17 Rec'd PCT/PTO 16 JUN 2005

In re: Nercivan Kerimovska et al;

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

Page 4

In the Claims:

This listing of the claims will replace all prior versions and listings of the claims in the application:

Listing of Claims:

1. (Currently Amended) An apparatus (1) having, comprising:
a display (2) for showing configured to display various readable data, comprising; and
a control unit arranged configured to extract at least a part of the displayed readable
data for sending and configured to send the extracted part of the displayed data to a speech
generating device (5) for generating that is configured to generate speech from the extracted
part of the displayed data,

wherein the speech generating device (5) being is attachable to the apparatus (1), eharacterised in that the control unit is arranged to extract a part of the readable data from the display (2) and sending it to the speech generating device (5).

- 2. (Currently Amended) An apparatus according to elaims claim 1, eharacterised in that wherein the control unit is arranged configured to automatically send said extracted part of the readable displayed data, such as a line or a word, at a time, automatically to the speech generating device (5) at a fixed or and/or controllable rate.
- 3. (Currently Amended) An apparatus according to elaims 1 or 2, characterised in that claim 1, wherein the control unit is arranged configured to send said extracted part of the readable displayed data, such as a line or a word, at a time, to the speech generating device (5) in dependence of based on scrolling in the display (2).
- 4. (Currently Amended) An apparatus according to elaims 1, 2 or 3, eharacterised in that claim 1, wherein the readable displayed data includes texts text from menus, text messages, help information, calendars or and/or confirmation of actions taken with the apparatus (1).

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

Page 5

- 5. (Currently Amended) An apparatus according to elaims 1, 2, 3 or 4, eharacterised in that claim 1, wherein the control unit is arranged configured to send said extracted part of the readable displayed data, such as a line or a word, at a time, to the speech generating device (5) in dependence of based on inputting characters to the apparatus.
- 6. (Currently Amended) An apparatus according to elaims claim 5, eharacterised in that wherein the control unit is arranged configured to send readable the displayed data as triggered by the responsive to input of definite characters, such as including letters, signs, spaces or and/or punctuation marks.
- 7. (Currently Amended) An apparatus according to any one of claims 1 to 6, eharacterised in that claim 1, wherein the control unit is arranged configured to extract readable the displayed data from a selected file and sending it automatically send the displayed data to the speech generating device (5) at a fixed or and/or controllable rate.
- 8. (Currently Amended) A device (5) for generating speech, characterised by comprising:

a microcontroller (6), connectable configured to be connected to an apparatus according to any one of claims 1 to 7, for receiving and configured to receive data from said apparatus to be converted to speech, and sending the data to a conversion circuit (7); and

a conversion circuit <u>coupled to the microcontroller and</u> (7) <u>connectable configured to be connected</u> to a speaker system—(9) for <u>converting</u>,

wherein the conversion circuit is configured to receive the data from the microcontroller and convert the data to a speech signal.

- 9. (Currently Amended) A device according to claim 8, eharacterised in that wherein the data is supplied received as ASCII characters.
 - 10. (Currently Amended) A device according to claim 8 or 9, eharacterised in

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

Page 6

that wherein the conversion circuit (7) supports is configured to support various selectable languages.

- 11. (Currently Amended) A device according to claim 10, eharacterised in that wherein the conversion circuit (7) is capable of downloading is configured to download languages via the connected apparatus.
- 12. (Currently Amended) A device according to any one of claims 8 to 11 claim 8, characterised in that wherein the conversion circuit (7) supports is configured to support various selectable voices.
- 13. (Currently Amended) A device according to claim 12, eharacterised in that wherein the conversion circuit (7) is capable of downloading is configured to download voices via the connected apparatus (1).
- 14. (Currently Amended) A device according to any one of claims 8 to 13 claim 8, characterised in that the wherein a speed of the speech signal is adjustable.
- 15. (Currently Amended) A device according to <u>claim 8</u> any one of claims 8 to 14, <u>characterised in that wherein</u> the microcontroller (6) is <u>connectable</u> is <u>configured to be connected</u> to a memory <u>device</u> containing language information, <u>such as including</u> various languages, abbreviation lists <u>and</u> and/or dictionaries.
- 16. (Currently Amended) A device according to any one of claims 8 to 15 claim 8, characterised in that wherein the microcontroller (6) is connectable is configured to be connected to a memory device containing voice settings.
- 17. (Currently Amended) A device according to any one of claims 8 to 16 claim 8, characterised in that wherein the microcontroller (6) is connectable is configured to be

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

Page 7

<u>connected</u> to the apparatus (1) by means of <u>via</u> a system connector having an interface (10) for audio signals, serial channels, power leads and <u>and/or</u> analog and digital ground leads.

- 18. (Currently Amended) A device according to elaims <u>claim</u> 17, <u>eharacterised</u> in that <u>wherein</u> the device is implemented as <u>includes</u> a functional cover[[,]] comprising a shell covering the <u>a</u> front of the apparatus (1) and a microprocessor cooperating with the <u>a</u> processor of the apparatus (1).
- 19. (Currently Amended) A device according to any one of claims 8 to 18 claim 8, characterised in that wherein the connectable apparatus (1) is comprises a portable telephone, a pager, a communicator or and/or an electronic organiser organizer.
 - 20. (Currently Amended) An apparatus (1) having, comprising: a display for showing configured to display various readable data, comprising; a control unit; and
- a <u>speech generating</u> device for generating speech comprising <u>including</u> a conversion circuit for converting <u>therein configured to convert received</u> data to a speech signal and connectable <u>configured to be connected</u> to a speaker system (9; 11),

eharacterised in that wherein the control unit arranged is configured to extract at least a part of the displayed readable data from the display (2) for sending and send the extracted part of the displayed data to the speech generating device (5).

- 21. (Currently Amended) An apparatus according to claim 20, characterised in that wherein the control unit is arranged configured to send said extracted part of the readable displayed data, such as a line or a word, at a time, automatically to the speech generating device (5) at a fixed or and/or controllable rate.
- 22. (Currently Amended) An apparatus according to elaims 20 or 21 claim 20, eharacterised in that wherein the control unit is arranged configured to send said extracted

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

Page 8

part of the readable data, such as a line or a word, at a time, to the speech generating device (5) in dependence of based on scrolling in the display (2).

- 23. (Currently Amended) An apparatus according to elaims 20, 21 or 22 claim 20, eharacterised in that wherein the readable displayed data includes texts text from menus, text messages, help information, calendars or and/or confirmation of actions taken with the apparatus (1).
- 24. (Currently Amended) An apparatus according to elaims 20, 21, 22 or 23 claim 20, characterised in that wherein the control unit is arranged configured to send said extracted part of the readable displayed data, such as a line or a word, at a time, to the speech generating device (5) in dependence of based on inputting characters to the apparatus.
- 25. (Currently Amended) An apparatus according to elaims claim 24, eharacterised in that wherein the control unit is arranged configured to send readable the displayed data as triggered by the responsive to input of definite characters, such as including letters, signs, spaces of and/or punctuation marks.
- 26. (Currently Amended) An apparatus according to any one of claims 20 to 25 claim 20, characterised in that wherein the control unit is arranged configured to extract readable the displayed data from a selected file and sending it automatically send the displayed data to the speech generating device (5) at a fixed or and/or controllable rate.
- 27. (Currently Amended) An apparatus according to any one of claims 20 to 26 claim 20, characterised in that wherein the speaker system (11) is integrated with the apparatus.
- 28. (Currently Amended) An apparatus according to any one of claims 20 to 27 claim 20, characterised in that wherein the data is supplied sent as ASCII characters.

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

Page 9

- 29. (Currently Amended) An apparatus according to any one of claims 20 to 28 claim 20, characterised in that wherein the conversion circuit supports is configured to support various selectable languages.
- 30. (Currently Amended) An apparatus according to claim 29, eharacterised in that wherein the apparatus (1) is capable of downloading is configured to download languages.
- 31. (Currently Amended) An apparatus according to any one of claims 20 to 30 claim 20, characterised in that wherein the conversion circuit supports is configured to support various selectable voices.
- 32. (original) An apparatus according to claim 31, eharacterised in that wherein the apparatus (1) is capable of downloading is configured to download voices.
- 33. (Currently Amended) An apparatus according to any one of claims 20 to 32 claim 20, characterised in that the wherein a speed of the speech signal is adjustable.
- 34. (Currently Amended) An apparatus according to any one of claims 20 to 33 claim 20, characterised in that wherein the apparatus (1) is connectable is configured to be connected to a memory device containing language information, such as including various languages, abbreviation lists and and/or dictionaries.
- 35. (Currently Amended) An apparatus according to any one of claims 20 to 34 claim 20, characterised in that wherein the apparatus (1) is connectable is configured to be connected to a memory device containing voice settings.
 - 36. (Currently Amended) An apparatus according to any one of claims 1 to 7 and

International Application No.: PCT/EP2003/012879

International Filing Date: November 14, 2003

<u>Page 10</u>

20 to 35 claim 1, eharacterised in that wherein the apparatus is comprises a portable telephone, a pager, a communicator or and/or an electronic organiser organizer.

37. (Currently Amended) A computer program product <u>comprising a computer</u> readable storage medium having computer readable program code embodied therein, the <u>computer readable program code configured to be loaded loadable</u> into the internal memory of an apparatus (1) having a display for showing various readable data, the <u>computer readable program code comprising:</u>

computer readable program code configured eharacterised by comprising software eode portions to achieve the functionality of the apparatus in accordance with any one of claims 20 to 36 of claim 20.

38. (Canceled).